DAFTAR PUSTAKA

J. Tatali et al (2018). Hubungan Dukungan Keluarga Dengan Tingkat Kemandirian Activity Daily Living (Adl) Pada Pasien Pasca Stroke Di Poliklinik Neurologi Rsu Gmim Pancaran Kasih Manado," J. Keperawatan, vol. 6, no. 1.

Ballinger, Philp W, dan Eugene D, Frank. 2013. Merril's Atlas of Radiographich positions and Radiologic Prosedures, Tenth Edition, volume Three. Saint Louis : Mosby Denmark.

BAPETEN. 2020. Kepala Badan Pengawas Tenaga Nuklir Republik Indonesia. Budi, H., Bahar, I., & Sasmita, H. (2020). Faktor Risiko Stroke Pada Usia Produktif Di Rumah Sakit Stroke Nasional (Rssn) Bukit Tinggi. *Jurnal Persatuan Perawat Nasional Indonesia (JPPNI)*, *3*(3), 129

Darmini, Ari Setiyono, P., Rochmayanti, D., Nino Kurniawan, A., & Nugroho Setiawan, A. (2020). The Optimizationof Mastoid CT Image Using Windows and Kernel Reconstructions. Journal of Physics: Conference Series, 1471(1).

F. Jessyca and P. K. Sasmita, "Hubungan Tingkat Pendidikan Dan Pengalaman Terkait Stroke Dengan Pengetahuan Stroke Relationship Between Education Level and Stroke-Related Experience With Knowledge of Stroke," Damianus J. Med., vol. 20, no. 1, p. 14440, 2021.

Hulmansyah, D., Bisra, M., & Yoshandi, T. M. (2024). Rancang Bangun Sistem Informasi Radiologi Berbasis Website. *Jurnal Ilmiah Kesehatan Diagnosis*, *19*(3), 74-79.

Hulmansyah, D., & Bisra, M. (2025). PROSEDUR PEMERIKSAAN MAGNETIC RESONANCE IMAGING (MRI) LUMBAL DENGAN KASUS HERNIA NUKLEUS PULPOSUS (HNP). *Jurnal Mitrasehat*, *15*(2), 886-892.

Hutami, I. A. P. A., Sutapa, G. N., & Paramarta, I. B. A. (2021). Analisis Analisis Pengaruh Slice Thickness Terhadap Kualitas Citra Pesawat CT Scan Di RSUD Bali Mandara. Buletin Fisika,22(2),77.

Lampignano, J.P & Kendrick, L.E. 2018. Textbook Of Radiographic Positioning and Related Anatomy Ninth Edition. United States of America ; Mosby Elseveir.

Leng, S., & Yu, L. (2016). Image Reconstruction Techniques. Image Wisely, 19–22.

Listiyani, I. L., Nismayanti, A., Maskur, M., Kasman, K., Ulum, M. S., & RahmSSan, R. (2021). Analisis Noise Level Hasil Citra CT-Scan Pada Phantom Kepala Dengan Variasi Tegangan Tabung Dan Ketebalan Irisan. Gravitasi, 20(1), 5-9.

Masrochah, S., Lestar, R. Y., & Rusyadi, L. (2021). *Metode Pengukuran Volume Perdarahan Pemeriksaan MSCT Kepala pada Kasus Intraserebral hemmorhage*. *7*, 1–7.

Makmur, I Wayan Ari; Setiabudi, Wahyu; Anam C. Evaluasi Ketebalan Irisan (Slice Thickness) pada Pesawat CT-Scan Single Slice [Internet]. Vol. 21, Jurnal Sains dan Matematika. 2015. p. 6. Available

Qiu, W., Kuang, H., Teleg, E., Ospel, J. M., Sohn, S. I., Almekhlafi, M., & Menon,

A. K. (2020). Machine learning for detecting early infarction in acute stroke with non–contrastenhanced CT. Radiology, 294(3), 638-644.

Rahmawati, H., & Hartono, B. (2021). Radiologist. *Kepaniteraan Di Instalasi Radiologi Rumah Sakit*. https://doi.org/10.4135/9781412963855.n1027

Seeram, E., & Sil, J. (2013). Computed tomography: Physical principles, instrumentation, and quality control. In *Practical SPECT/CT in Nuclear Medicine*.

S. Chaidee et al., "Comparative analysis between different volumetric methods on measuring intracranial hemorrhage incorporating roundness index," PLoS One, vol. 18, no. 10 October, 2023, doi: 10.1371/journal.pone.0292092.

Setyo Kiswoyo, A., Wibowo, G. M., & Ferriastuti, W. (2023). PENGHITUNGAN VOLUMETRIK PERDARAHAN DENGAN METODE VOLUME AUTOMATIK (SOFTWARE VOLUME EVALUATION) DAN METODE MANUAL (BRODERICK)PADA MSCT KEPALA (Study Eksperimen Pada Pasien Perdarahan Intraserebral di RS. Haji Surabaya) VOLUMETRIC HEMORRHAGE CALCULATIONS WI. *JImeD*, *3*(2), 231–235.

Sugiyono. (2021). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Alfabeta